



0999889 1746

#4

PATENT

UNITED STATES PATENT AND TRADEMARK OFFICE
(Case No. 99,252-A)

In re Application of:)	
)	
MERTENS, et al.)	
)	Group Art Unit: 1746
Serial No.: 09/998,889)	
)	Examiner: Not yet assigned
Filed: November 1, 2001)	
)	Confirmation No.: 7630
For: METHOD AND APPARATUS FOR)	
REMOVING A LIQUID FROM A)	
SURFACE)	

RESPONSE TO REQUEST FOR SUBSTITUTE PAPERS

Attn: Box Duplicate
U.S. Patent and Trademark Office
P.O. Box 2327
Arlington, VA 22202-2327

Dear Sir:


In accordance with the Request for Substitute Papers dated March 19, 2002, a copy of which is attached, we are filing herewith a complete and accurate copy of the Response to Notice to File Corrected Application Papers mailed February 13, 2002.

Respectfully submitted,

McDonnell Boehnen Hulbert & Berghoff

Date: March 29, 2002

By:



Amir N. Penn
Reg. No. 40,767

McDonnell Boehnen Hulbert & Berghoff
300 South Wacker Drive
Chicago, Illinois 60606
(312) 913-0001



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/998,889	11/01/2001	Paul Mertens	99,252-A

CONFIRMATION NO. 7630

FORMALITIES LETTER



OC000000007194011

Amir N. Penn
McDonnell Boehnen Hulbert & Berghoff
32nd Floor
300 S. Wacker Drive
Chicago, IL 60606

Date Mailed: 12/14/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
 - The specification cannot be scanned or properly stored. Page(s)
 - do not contain writing on only one side of the page. *The drawings filed are unacceptable because: Replacement page(s), together with a statement that the replacement page(s) contain no new matter, are required.*

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

